


VENUE FLOOR PLANS

CTICC | AUDITORIUM 1



CTICC | AUDITORIUM 1 SPECIFICATIONS

Length	47 m
Width	Splayed
Total area	1 170 m ²
Height (stage to ceiling)	16 m
Doors: Front-of-house	Width: 3.8 m x Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Access loading/unloading	Walter Sisulu entrance
Outside broadcasting van connection	Yes, available with a connection point
Audio - visual (when ordered)	Hardwired infrastructure available when ordered with audio-visual, digital switcher, two branded laptops, LED lectern, and two multi-skilled technicians
Large power	400 A, 63 Amp 3-phase
Small power	16 single-phase
Stage	Neoprene underneath 22 mm shutter board
Stage dimensions	Backstage: 121.69 m ² Stage: 94.77 m ² Forestage: 73.98 m ²
Screen (when ordered with audio-visual)	One
Sound system (when ordered with audio-visual)	Two table-top microphones One lectern microphone Speakers
Translation booths	Six
Projection room	One
Orchestra Pit (the pit will remain covered unless otherwise requested. Use of the orchestra pit is subject to an additional charge.)	14.5 m x 8.6 m (12 m ²)
Data projector (when ordered with audio-visual)	9 000 ANSI Lumen Data Projector with a long-throw lens
Seating	Numbered in numeric order
Theatre-style capacity	1 516
VIP rooms	Two
Dressing rooms	Two
Green Room	One
Storage room	One
Carpets	Standard

AUDITORIUM 1 SPECIFICATIONS

SCENERY FLY BARS

Scenery bar capacity	Fly bars 3 to 5	500 kg
Scenery bar capacity	Fly bars 2, 6 to 9	350 kg
Scenery bar length	Fly bar 1	Unavailable
Scenery bar length	Fly bar 2	10 m
Scenery bar length	Fly bars 3, 4 & 5	14 m
Scenery bar length	Fly bars 6 & 7	12 m
Scenery bar length	Fly bar 8	10 m
Scenery bar length	Fly bar 9	8 m
Scenery bar at maximum raised height	Fly bar 2	15.3 m
	Fly bars 3 to 9	16.4 m
Scenery bar minimum lowered height		1.2 m
Motor unit lifting speed		0.25 m/sec
Time for full travel	Fly bars 2 to 4	51 secs
Time for full travel	Fly bars 5 to 9	55 secs
Motor size (380 V 3-phase)	Fly bars 1 to 5	2 x 1.1 kW
Motor size (380 V 3-phase)	Fly bars 6 to 9	1.5 kW

FESTOON CURTAIN MECHANISM

Maximum raised height	14.9 m
Reveal speed (vertical travel)	0.3 m/sec
Motor size (380 V 3-phase): festoon	2 x 0.75 kW
Minimum factor of safety on all wire ropes	10 to 1
Carpets	Standard


CTICC | AUDITORIUM 1 PROJECTION SCREENS

The fixed-frame screens can be custom-built and applied in various formats (additional). The different screens are:

- Default when ordered with audio-visual Type 1: 8 m x 4.5 m with front projection cloth
- Other additional options could be Type 2: 8 m x 5 m with rear projection cloth (one-off)
- Other additional options could be Type 3: 4.5 m x 3 m with front projection cloth (one-off)



CTICC 1 AUDITORIUM 1 FOYER




CTICC 1 AUDITORIUM 1 FOYER

Length	13.6 m (at its narrowest point)
Width	40 m
Total area	700 m ²
Height	3.5 m
Doors: Front-of-house	N/A
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights
Outside broadcasting van connection	No, but can be arranged
Large power	None
Small power	16 A
Cocktail-style capacity	650
Carpets	Standard

This detailed architectural floor plan illustrates the main hall of the National Diet Building. The hall is rectangular with a stage at the top, featuring a large rectangular table and several chairs. The seating area is filled with rows of chairs, with two yellow vertical lines indicating aisle positions. The right side of the hall has a series of doors and a staircase. The bottom of the hall has a large open area with a staircase and a red square. The plan includes various architectural details such as walls, doors, and furniture.

Length	31 m
Width	15.8 m
Total area	490 m ²
Height	8 m
Doors: Front-of-house	Width: 2 m Height: 2.1 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Two fixed flybars located in the ceiling
Access loading/unloading	From gallery
Outside broadcasting van connection	No, but can be arranged
Audio-visual (when ordered)	Hardwired infrastructure available when ordered with audio-visual, digital switcher, 2 branded laptops, LED lectern, two multi-skilled technicians
Large power	200 A bulk supply 3-phase
Small power	16 A single phase
Stage	Neoprene underneath 22 mm shutter board or plywood Front stage and steps
Stage dimensions	36.72 m ²
Screen	One built into venue: 7.2 m x 4.8 m
Sound system (when ordered with audio-visual)	Two table-top microphones One lectern microphone
Translation booths	Five
Projection room	One
Data projector	9 000 ANSI Lumen Data Projector with a long-throw lens
Seating	Numbered in chronological order
Theatre-style capacity	612
Carpets	Standard

CTICC 1 FULL BALLROOM




CTICC 1 FULL BALLROOM

Length	67 m
Width	28 m
Total area	1 876 m ²
Height	8 m
Doors: Front-of-house	Width: 2.2 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights
Access loading/unloading	Walter Sisulu Avenue
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply 250 Amp/125 Amp 3-phase
Small power	16 Amp
Theatre-style capacity	1 980
Classroom-style capacity	1 296
Banquet-style capacity	1 300
Banquet buffet-style capacity	1 190
Cocktail-style capacity	1 392
Carpets	Standard

All capacities are based on wall to wall.

CTICC 1 BALLROOM EAST




CTICC 1 BALLROOM EAST

Length	38 m
Width	28 m
Total area	1 064 m ²
Height	8 m
Doors: Front-of-house	Width: 2.2 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights
Access loading/unloading	Walter Sisulu Avenue
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply 250 A/125 A 3-phase
Small power	16 A
Theatre-style capacity	1 080
Classroom-style capacity	790
Banquet-style capacity	740
Banquet buffet-style capacity	540
Cocktail-style capacity	816
Carpets	Standard

All capacities are based on wall to wall.

CTICC 1 BALLROOM WEST



CTICC 1 BALLROOM WEST

Length	29 m
Width	28 m
Total area	812 m ²
Height	8 m
Doors: Front-of-house & Service	Width: 2.2 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights
Access loading/unloading	Walter Sisulu Avenue
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	None (63A and 125A available from CTICC's preferred supplier)
Small power	16 A
Theatre-style capacity	840
Classroom-style capacity	528
Banquet-style capacity	540
Banquet buffet-style capacity	490
Cocktail-style capacity	576
Carpets	Standard
Rigging point allowance (rigging point available on request)	250 kg per point

All capacities are based on wall to wall.

CTICC 1 BOARDROOM



CTICC 1 BOARDROOM

Length	9.3 m
Width	7.9 m
Total area	73 m ²
Height	3.3 m
Doors: Front-of-house and Service	1.2 m x 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights

Audio-visual

Screen, projector, audio, two LCD screens (one on either side of the projection screen), seven built-in projection and power distribution points, support available. Dedicated support available, for a fee, from the CTICCs contracted service provider.

Description	Boardroom
Boardroom-style capacity	20
Carpets	Standard
Large power	None (63A and 125A available from CTICC's preferred supplier)
Small power	16 A
Carpets	Standard
Rigging point allowance (rigging point available on request)	250 kg per point

CTICC 1 EXHIBITION VENUES




CTICC 1 EXHIBITION VENUES

VENUE	AREA	WIDTH X LENGTH
Hall 1	2 029 m ²	34.5 m x 58.7 m
Hall 1A	1 032 m ²	29.9 m x 34.5 m
Hall 1B	997 m ²	28.9 m x 34.5 m
Hall 2	2 118 m ²	33.3 m x 63.6 m
Hall 3	2 258 m ²	33.3 m x 67.8 m
Hall 4A	2 982 m ²	41.7 m x 71.5 m
Hall 4B	1 267 m ²	18.1 m x 70 m



CTICC 1 EXHIBITION HALL 1




CTICC 1 EXHIBITION HALL 1

Length	58.7 m
Width	34.5 m
Total area	2 029 m ²
Height	10 m to 18 m
Doors: Service	D7C/016: 7.2 m (wide) x 5.3 m (high)
Floor loading	1 500 kg/m ² (15 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	LED's and downlights (in all halls in CTICC 1)
Access loading/unloading	Moveable doors, access from Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply: 400 A 3-phase 125 A 3-phase 63 A 3-phase
Small power	32 A 3-phase
Hanging nodes/bars	Max weight of 600 kg per node Up to 3 000 kg per structural beam
Theatre-style capacity	1 950
Classroom-style capacity	1 500
Banquet-style capacity	1 550
Cocktail-style capacity	1 550
Exhibition booth capacity	150
Kiosk	Two
Carpets	Not included, but can be arranged at an additional cost.

All capacities are based on wall to wall.

CTICC 1 EXHIBITION HALL 1A




EXHIBITION HALL 1A SPECIFICATIONS

Length	29.9 m
Width	34.5 m
Total area	1 032 m ²
Height	10 m to 18 m
Doors: Service	D7C/016: 7.2 m (wide) x 5.3 m (high)
Floor loading	1 500 kg/m ² (15 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Fluorescents and downlights
Access loading/unloading	From Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply:
	400 A 3-phase
	125 A 3-phase
Small power	63 A 3-phase
	32 A 3-phase
Hanging nodes/bars	Max weight 600 kg per node
	Up to 3 000 kg per structural beam
Theatre-style capacity	1 000
Classroom-style capacity	770
Banquet-style capacity	800
Banquet buffet-style capacity	560
Cocktail-style capacity	780
Exhibition booth capacity	49
Satellite kitchen	One
Carpets	Not included, but can be arranged at an additional cost.

All capacities are based on wall to wall.

CTICC 1 EXHIBITION HALL 1B




EXHIBITION HALL 1B SPECIFICATIONS

Length	34.5 m
Width	28.9 m
Total area	997 m ²
Height	10 m to 18 m
Doors: Service	D7C/028: 7.2 m (wide) x 5.3 m (high)
Floor loading	1 500 kg/m ² (15 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Fluorescents and downlights
Access loading/unloading	Marshalling Yard via Hall 1A or Hall 2 subject to availability
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply: 400 A 3-phase 125 A 3-phase 63 A 3-phase
Small power	32 A 3-phase
Hanging nodes/bars	Max weight 600 kg per node Up to 3 000 kg per structural beam
Theatre-style capacity	950
Classroom-style capacity	730
Banquet-style capacity	750
Banquet buffet-style capacity	560
Cocktail-style capacity	780
Exhibition booth capacity	48
Kiosk/hatch	One
Carpets	Not included, but can be arranged at an additional cost.

All capacities are based on wall to wall.

CTICC 1 EXHIBITION HALL 2




EXHIBITION HALL 2 SPECIFICATIONS

Length	63.6 m
Width	33.3 m
Total area	2 118 m ²
Height	10 m to 18 m
Doors: Service	D7C/028: 7.2 m (wide) x 5.3 m (high)
Floor loading	3 000 kg/m ² (30 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Fluorescents and downlights
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply:
	400 A 3-phase
	125 A 3-phase
Small power	63 A 3-phase
	32 A 3-phase
Hanging nodes/bars	Max weight 600 kg per node
	Up to 3 000 kg per structural beam
Theatre-style capacity	2 000
Classroom-style capacity	1 500
Banquet-style capacity	1 600
Banquet buffet-style capacity	1 530
Cocktail-style capacity	1 620
Exhibition booth capacity	114
Kiosk	One
Carpets	Not included, but can be arranged at an additional cost.

All capacities are based on wall to wall.

CTICC 1 EXHIBITION HALL 3




EXHIBITION HALL 3 SPECIFICATIONS

Length	67.8 m
Width	33.3 m
Total area	2 258 m ²
Height	10 m to 18 m
Doors: Service	D7C/040: 7.2 m (wide) x 5.3 m (high)
Floor loading	3 000 kg/m ² (30 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Fluorescents and downlights
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply: 400 A 3-phase 125 A 3-phase 63 A 3-phase
Small power	32 A 3-phase
Hanging nodes/bars	Max weight 600 kg per node Up to 3 000 kg per structural beam
Theatre-style capacity	2 200
Classroom-style capacity	1 690
Banquet-style capacity	1 800
Banquet buffet-style capacity	1 440
Cocktail-style capacity	1 680
Exhibition booth capacity	124
Kiosk	One
Carpets	Not included, but can be arranged at an additional cost.

All capacities are based on wall to wall.

CTICC 1 EXHIBITION HALL 4A




EXHIBITION HALL 4A SPECIFICATIONS

Length	71.5 m
Width	41.7 m
Total area	2 982 m ²
Height	10 m to 18 m
Doors: Service	D7C/050: 7.2 m (wide) x 5.3 m (high)
Floor loading	1 500 kg/m ² (15 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Fluorescents and downlights
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply:
	400 A 3-phase
	125 A 3-phase
Small power	63 A 3-phase
	32 A 3-phase
Hanging nodes/bars	Max weight 600 kg per node
	Up to 3 000 kg per structural beam
Theatre-style capacity	2 400
Classroom-style capacity	1 850
Banquet-style capacity	2 000
Banquet buffet-style capacity	2 080
Cocktail-style capacity	2 224
Exhibition booth capacity	186
Kiosk	None
Carpets	Not included, but can be arranged at an additional cost.

All capacities are based on wall to wall.


CTICC 1 EXHIBITION HALL 4B



EXHIBITION HALL 4B SPECIFICATIONS


Length	70 m
Width	18.1 m
Total area	1 267 m ²
Height	9 m
Doors: Front-of-house	1.61 m x 2.32 m
Doors: Service	7.98 m x 5.90 m
Floor loading	1 500 kg/m ² (15 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Fluorescents and downlights
Access loading/unloading	Load in via ramp directly outside the Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Large power	Bulk supply: 400 A 3-phase 125 A 3-phase
Small power	63 A 3-phase 32 A 3-phase
Hanging nodes/bars	Max weight 250 kg per node Up to 1 500 kg per structural beam
Theatre-style capacity	1 000
Classroom-style capacity	770
Banquet-style capacity	800
Banquet buffet-style capacity	540
Cocktail-style capacity	972
Exhibition booth capacity	70
Carpets	Not included, but can be arranged at an additional cost.

All capacities are based on wall to wall.



CTICC 1 MEETING ROOMS

CTICC 1 MEETING ROOMS 1.40 & 1.60



CTICC 1 MEETING ROOMS 1.40 & 1.60 SPECIFICATIONS

Length	23.4 m
Width	16 m
Total area	375 m ²
Height	4 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights
Audio-visual	Available from CTICC's preferred service providers
Description	These rooms can be divided into four smaller areas with a maximum capacity of 60 in theatre-style seating
Overlooks	Conservatories
Theatre-style capacity	330
Classroom-style capacity	220
U-shape-style capacity	69
Banquet-style capacity	220
Banquet buffet-style capacity	180
Cocktail-style capacity	280
Carpets	Standard


All capacities are based on wall to wall.

CTICC 1 MEETING ROOM PROJECTION SCREENS

Each breakout room has one electronic projection screen installed. The details of these electronic screens are as follows:

- **Type 2:** Grandview 150-inch 16:9 (3320mm x 1830mm). (viewable surface) – on the first floor.

CTICC 1 MEETING ROOMS 2.40 & 2.60



CTICC 1 MEETING ROOMS 2.40 & 2.60 SPECIFICATIONS

Length	23.4 m
Width	16 m
Total area	375 m ²
Height	4 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights
Audio-visual	Available from CTICC's preferred service providers
Description	These rooms can be divided into six smaller areas with a maximum capacity of 60 seated theatre-style
Overlooks	Conservatories
Theatre-style capacity	330
Classroom-style capacity	220
U-shape-style capacity	69
Banquet-style capacity	220
Banquet buffet-style capacity	180
Cocktail-style capacity	280
Carpets	Standard

All capacities are based on wall to wall.

CTICC 1 MEETING ROOM PROJECTION SCREENS


Each breakout room has one electronic projection screen installed. The details of these electronic screens are as follows:

- **Type 1:** Grandview 120-inch 16:9 (2656mm x 1494mm). (viewable surface) on the second floor.

CTICC 1 MEETING SUITES



CTICC 1 MEETING SUITES 1.51 TO 1.55



CTICC 1 MEETING SUITES 1.51, 1.52, 1.53, 1.54 AND 1.55 SPECIFICATIONS


Length	7.9 m
Width	4.5 m
Total area	35 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, included in venue rental
Description	VIP Suite
Overlooks	Meeting suite 1.51 – 1.53 overlooks Exhibition Hall 2
	Meeting suite 1.54 – 1.55 overlooks Exhibition Hall 3
Theatre-style capacity	24
Classroom-style capacity	18
U-shape-style capacity	15
Boardroom-style capacity	18
Carpets	Standard

*Meeting Suite 1.51 interconnects with Meeting Suite 1.52

*Meeting Suite 1.54 interconnects with Meeting Suite 1.55

All capacities are based on wall to wall.

CTICC 1 MEETING SUITES 1.71 TO 1.74



CTICC MEETING SUITE 1.71 SPECIFICATIONS

Length	7.9 m
Width	4.5 m
Total area	35 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, audio, and support available through CTICC's preferred service providers
Description	VIP Suite
Overlooks	Exhibition Hall 3
Theatre-style capacity	24
Classroom-style capacity	18
U-shape-style capacity	15
Boardroom-style capacity	18
Carpets	Standard

All capacities are based on wall to wall.

CTICC 1 MEETING SUITES 1.71 TO 1.74


CTICC MEETING SUITE 1.72 SPECIFICATIONS	
Length	5.5 m
Width	4.5 m
Total area	24 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, audio, and support available through CTICC's preferred service provider
Description	VIP Suite
Overlooks	Exhibition Hall 3
Theatre-style capacity	24
Classroom-style capacity	12
U-shape-style capacity	15
Boardroom-style capacity	18
Carpets	Standard

CTICC MEETING SUITE 1.73 SPECIFICATIONS	
Length	5.5 m
Width	4.5 m
Total area	24 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, audio, and support available through CTICC's preferred service provider
Description	VIP Suite
Overlooks	Exhibition Hall 3
Theatre-style capacity	24
Classroom-style capacity	12
U-shape-style capacity	15
Boardroom-style capacity	18
Carpets	Standard

CTICC MEETING SUITE 1.74 SPECIFICATIONS	
Length	7.9 m
Width	4.5 m
Total area	35 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, audio, and support available through CTICC's preferred service provider
Description	VIP Suite
Overlooks	Exhibition Hall 3
Theatre-style capacity	24
Classroom-style capacity	18
U-shape-style capacity	15
Boardroom-style capacity	18
Carpets	Standard

All capacities are based on wall to wall.

CTICC 1 MEETING SUITES 1.91 - 1.93



CTICC MEETING SUITE 1.91 SPECIFICATIONS

Length	5.5 m
Width	4.5 m
Total area	25 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m
	Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, audio, and support available through CTICC's preferred service providers
Description	VIP Suite
Overlooks	Exhibition Hall 4A
Theatre-style capacity	24
Classroom-style capacity	12
U-shape-style capacity	15
Boardroom-style capacity	18
Carpets	Standard

All capacities are based on wall to wall.

CTICC 1 MEETING SUITES 1.91 - 1.93


CTICC MEETING SUITE 1.92 SPECIFICATIONS

Length	5.5 m
Width	4.5 m
Total area	25 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, audio, and support available through CTICC's preferred service providers
Description	VIP Suite
Overlooks	Exhibition Hall 4A
Theatre-style capacity	24
Classroom-style capacity	18
U-shape-style capacity	15
Boardroom-style capacity	12
Carpets	Standard

CTICC MEETING SUITE 1.93 SPECIFICATIONS


Length	7.9 m
Width	4.5 m
Total area	35 m ²
Height	3.3 m
Doors: Front-of-house & Service	Width: 3.75 m Height: 2.2 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (non-dimmable)
Audio-visual	Projector, screen, audio, and support available through CTICC's preferred service provider
Description	VIP Suite with bathroom/shower and kitchenette
Overlooks	Exhibition Hall 4A
Theatre-style capacity	24
Classroom-style capacity	18
U-shape-style capacity	15
Boardroom-style capacity	18
Carpets	Standard

All capacities are based on wall to wall.



CTICC 1 ROOF TERRACE

CTICC 1 ROOF TERRACE ROOM



CTICC 1 ROOF TERRACE ROOM

Length	25 m
Width	14.8 m
Total area	370 m ²
Height	4.2 m
Doors: Front-of-house	Width: 3.75 m
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	Downlights (dimnable)
Theatre-style capacity	380
Classroom-style capacity	220
Banquet-style capacity	190
Banquet buffet-style capacity	180
Cocktail-style capacity	304
U-shape-style capacity	69
Boardroom-style capacity	60
Carpets	Standard

All capacities are based on wall to wall.

ROOF TERRACE FOYER | INSIDE

Length	15 m
Width	12 m
Total area	180 m ²
Height	4.2 m

ROOF TERRACE BALCONY | OUTSIDE

Length	21 m
Width	7 m
Total area	147 m ²
Height	6.7 m

All capacities are based on wall to wall.




CTICC 1 DAY RESTAURANTS & CONSERVATORIES

RESTAURANTS & CONSERVATORIES

CTICC 1

Venue	Rentable Area Ref	Floor	Area (m ²)	Area (ft ²)	Length (m)	Width (m)	Height (m)	Theatre	Classroom	U-shape	Boardroom	Banquet	Banquet Buffet	Cocktail	Exhibition Booth (3 m x 3 m)
Clivia Conservatory	Clivia Conservatory	0	252	2 712	18.0	14.0	17.0					120	100	164	
Jasminum Restaurant	Jasminum Restaurant	0	315	3 390	21.0	15.0	4.3					250	220	252	
Jasminum Conservatory	Jasminum Conservatory	0	294	3 164	21.0	14.0	17.0							244	
Strelitzia Restaurant	Strelitzia Restaurant	0	315	3 390	21.0	15.0	4.3					250	220	252	
Strelitzia Conservatory	Strelitzia Conservatory	0	285	3 067	19.0	14.0	17.0					160	120	244	



A photograph of a modern lounge area. In the foreground, a large, leafy tree stands next to a grey leather sofa and two orange leather armchairs. A round glass coffee table sits in front of the sofa. The room has floor-to-ceiling windows on the right side, letting in bright sunlight. In the background, another tree and more seating are visible. A teal-colored graphic element is on the left side of the image.

CTICC 2 VENUE SPECIFICATIONS




CTICC 2 EXHIBITION VENUES

CTICC 2 EXHIBITION VENUES

VENUE	AREA	WIDTH X LENGTH
Hall 5	1 533 m ²	28.47 m x 53.88 m
Hall 6	1 767 m ²	32.80 m x 53.88 m
Hall 7	1 537 m ²	28.54 m x 53.88 m
Hall 8	1 993 m ²	36.97 m x 53.52 m
Hall 8.1	307 m ²	18.11 m x 17.00 m
Hall 8.2	316 m ²	18.11 m x 17.45 m
Hall 8.3	345 m ²	18.11 m x 19.07 m
Hall 9	1 933 m ²	35.86 m x 53.92 m
Hall 10	1 459 m ²	27.07 m x 53.92 m

CTICC 2 EXHIBITION HALL 5




CTICC 2 EXHIBITION HALL 5

Length	53.88 m
Width	28.47 m
Total area	1 533 m ²
Height	9 m
Doors	Front-of-house
Service door	D7C/050: 7.2 m (wide) x 5.3 m (high)
Floor loading	2 000 kg/m ² (30 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 30% or 70% or 100% (pre-sets)
Light facilities	0% or 30% or 70% or 100% LED lighting (non-dimmable)
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Large power	Bulk supply: 400 A 3-phase 125 A 3-phase 63 A 3-phase
Small power	32 A 3-phase
Audio-visual	Available from CTICC's preferred service providers
Theatre-style capacity	1 387
Classroom-style capacity	1 050
Banquet-style capacity	720
Cocktail-style capacity	1 196
Exhibition booth capacity	65
Carpets	Hall is carpeted

All capacities are based on wall to wall.

CTICC 2 EXHIBITION HALL 6




CTICC 2 EXHIBITION HALL 6

Length	53.88 m
Width	32.80 m
Total area	1 767 m ²
Height	9 m
Doors	Front-of-house
Service door	D7C/050: 7.2 m (wide) x 5.3 m (high)
Floor loading	2 000 kg/m ² (30 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 30% or 70% or 100% (pre-sets)
Light facilities	0% or 30% or 70% or 100% LED lighting (non-dimmable)
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Large power	Bulk supply: 400 A 3-phase 125 A 3-phase 63 A 3-phase 32 A 3-phase
Outside broadcasting van connection	Can be made available by prior arrangement
Audio-visual	Available from CTICC's preferred service providers
Theatre-style capacity	1 722
Classroom-style capacity	1 260
Banquet-style capacity	840
Cocktail-style capacity	1 344
Exhibition booth capacity	92
Carpets	Hall is carpeted

All capacities are based on wall to wall.

CTICC 2 EXHIBITION HALL 7




CTICC 2 EXHIBITION HALL 7

Length	53.88 m
Width	28.54 m
Total area	1 537 m ²
Height	9 m
Doors	Front-of-house
Service door	D7C/050: 7.2 m (wide) x 5.3 m (high)
Floor loading	2 000 kg/m ² (30 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 30% or 70% or 100% (pre-sets)
Light facilities	0% or 30% or 70% or 100% LED lighting (non-dimmable)
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Available upon prior arrangement
Large power	Bulk supply:
	400A 3-phase
	125A 3-phase
Small power	63A 3-phase
	32A 3-phase
Audio-visual	Available from CTICC's preferred service providers
Theatre-style capacity	1 386
Classroom-style capacity	1 050
Banquet-style capacity	720
Cocktail-style capacity	1 196
Exhibition booth capacity	60
Carpets	Hall is carpeted

All capacities are based on wall to wall.

CTICC 2 EXHIBITION HALL 8




CTICC 2 EXHIBITION HALL 8

Length	53.92 m
Width	36.97 m
Total area	1 993 m ²
Height	10 m
Subdivision:	
8.1	307 m ²
8.2	316 m ²
8.3	345 m ²
Doors	Front-of-house
Service door	D7C/050: 7.2 m (wide) x 5.3 m (high)
Floor loading	750 kg/m ² (0.75 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	0% or 100% dimmable LED lighting
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
	Available through the ICT Division
	Water/drainage available Can be made available by prior arrangement
Large power	Bulk supply:
	400 A 3-phase
	125 A 3-phase
	63 A 3-phase
Small power	32 A 3-phase
Audio-visual	Available from CTICC's preferred service providers
Theatre-style capacity	1 344
Classroom-style capacity	864
Banquet-style capacity	720
Cocktail-style capacity	1 152
Exhibition booth capacity	103
Carpets	Hall is carpeted

All capacities are based on wall to wall.

CTICC 2 EXHIBITION HALL 9




CTICC 2 EXHIBITION HALL 9

Length	53.92 m
Width	35.86 m
Total area	1 933 m ²
Height	10 m
Inside foyer	489 m ²
Doors	Front-of-house
Service door	D7C/050: 7.2 m (wide) x 5.3 m (high)
Floor loading	750k g/m ² (0.75 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	0% or 100% dimmable LED lighting
Access loading/unloading	Marshalling Yard
	In the floor every 4.5 m
Facility trenches	Power points
	Available through the ICT Division
	Water/drainage available
Outside broadcasting van connection	Can be arranged
	Bulk supply:
Large power	400 A 3-phase
	125 A 3-phase
	63 A 3-phase
Small power	32 A 3-phase
Audio-visual	Available from CTICC's preferred service providers
Theatre-style capacity	1 890
Classroom-style capacity	1 248
Banquet-style capacity	960
Cocktail-style capacity	1 536
Exhibition booth capacity	103
Carpets	Hall is carpeted

All capacities are based on wall to wall.

CTICC 2 EXHIBITION HALL 10



CTICC 2 EXHIBITION HALL 10


Length	53.92 m
Width	27.07 m
Total area	1 459 m ²
Height	10 m
Doors	Front-of-house
Service door	D7C/050: 7.2 m (wide) x 5.3 m (high)
Floor loading	750 kg/m ² (0.75 kN/m ²)
Air-conditioning	Automatic
Light intensity	0% or 100% (pre-sets)
Light facilities	0% or 100% dimmable LED lighting
Access loading/unloading	Marshalling Yard
Facility trenches	In the floor every 4.5 m
Facility trench content	Power points
Telephone/data points	Available through the ICT Division
Water/drainage/compressed airline	Water/drainage available
Outside broadcasting van connection	Can be made available by prior arrangement
Large power	Bulk supply: 400 A 3-phase 125 A 3-phase 63 A 3-phase
Small power	32 A 3-phase
Audio-visual	Available from CTICC's preferred service providers
Theatre-style capacity	1 386
Classroom-style capacity	960
Banquet-style capacity	720
Cocktail-style capacity	1 152
Exhibition booth capacity	70
Carpets	Hall is carpeted

All capacities are based on wall to wall.

CTICC 2 MEETING PODS



NERINA




NERINA

Length	14.88 m
Width	11.08 m
Total area	164 m ²
Height	4.9 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Theatre-style capacity	124
Classroom-style capacity	96
Banquet-style capacity	50
Cocktail-style capacity	92
Carpets	Standard

All capacities are based on wall to wall.

PROTEA




PROTEA	
Length	16.05 m
Width	15.03 m
Total area	241 m ²
Height	4.9 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Theatre-style capacity	204
Classroom-style capacity	189
Banquet-style capacity	110
Cocktail-style capacity	160
Carpets	Standard

All capacities are based on wall to wall.

**Nerina and Protea can be used as a combined venue. Please see the capacity chart for dimensions.*

DAISY




DAISY

Length	16.19 m
Width	11.80 m
Total area	191 m ²
Height	3.15 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Theatre-style capacity	146
Classroom-style capacity	126
Banquet-style capacity	60
Cocktail-style capacity	112
Carpets	Standard

All capacities are based on wall to wall.

FREESIA




FREESIA

Length	14.88 m
Width	10.99 m
Total area	163 m ²
Height	3.15 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Theatre-style capacity	136
Classroom-style capacity	111
Banquet-style capacity	60
Cocktail-style capacity	108
Carpets	Standard

All capacities are based on wall to wall.

ORCHID



ORCHID

Length	16.14 m
Width	10.77 m
Total area	173 m ²
Height	3.15 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Theatre-style capacity	156
Classroom-style capacity	129
Banquet-style capacity	80
Cocktail-style capacity	120
Carpets	Standard


All capacities are based on wall to wall.

**Daisy, Freesia and Orchid can be used as a combined venue. Please see the capacity chart for dimensions.*



CTICC 2 TERRACES AND OUTDOOR VENUE

WATSONIA




WATSONIA

Length	16.33 m
Width	13.41 m
Total area	218 m ²
Height	3.13 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Theatre-style capacity	196
Classroom-style capacity	168
Banquet-style capacity	110
Cocktail-style capacity	128
Carpets	Standard

All capacities are based on wall to wall.

BLUEBELL




BLUEBELL	
Length	16.30 m
Width	13.29 m
Total area	216 m ²
Height	3.13 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Theatre-style capacity	183
Classroom-style capacity	156
Banquet-style capacity	110
Cocktail-style capacity	144
Carpets	Standard

All capacities are based on wall to wall.

**Watsonia and Bluebell can be used as a combined venue. Please see the capacity chart for dimensions.*

MOUNTAIN VIEW




MOUNTAIN VIEW	
Length	18.55 m
Width	24.12 m
Total area	561 m ²
Height	Outdoor venue
Cocktail-style capacity	216

All capacities are based on wall to wall.



CTICC 2 MEETING ROOMS


PINCUSHION



PINCUSHION

Length	12.60 m
Width	8.60 m
Total area	147 m ²
Height	2.8 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Build-in boardroom capacity	22
Carpets	Standard


ARUM



ARUM


Length	6.73 m
Width	6.12 m
Total area	41 m ²
Height	2.7 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Build-in boardroom capacity	12
Carpets	Standard

DISA



DISA	
Length	6.04 m
Width	7.54 m
Total area	45 m²
Height	2.7 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Build-in boardroom capacity	12
Carpets	Standard

ALOE



ALOE	
Length	9.44 m
Width	4.54 m
Total area	40 m ²
Height	2.8 m
Doors	Front-of-house
Air-conditioning	Automatic
Light intensity	0% to 100% (pre-sets)
Light facilities	0% to 100% dimmable LED lighting
Build-in boardroom capacity	12
Carpets	Standard

CONTACT



CTICC 1:

Convention Square, 1 Lower Long Street, Cape Town, 8001, South Africa
GPS co-ordinates: -33.915141°, 18.425657°

CTICC 2:

Corner of Heerengracht & Rua Bartholomeu Dias, Foreshore, Cape Town, 8001, South Africa
GPS co-ordinates: -33.91747°, 18.42908°



+27 21 410 5000



info@cticc.co.za



Website: cticc.co.za



@CTICC



@CTICC_Official



@official_cticc



Cape Town International Convention Centre



NURTURE
OUR
WORLD

we are a green conscious convention centre

